



---

# Ferrari

## Hillclimb Championship

**Sporting & Technical  
Regulations**

Promoted by



# 2020 Pirelli Ferrari Hillclimb Championship

## **1 SPORTING REGULATIONS – GENERAL**

### **1.1 Title & Jurisdiction**

The Pirelli Ferrari Hillclimb Championship is organised and administered by the Ferrari Owners' Club (FOC) in accordance with the General Regulations of Motorsport UK (incorporating the provisions of the International Sporting Code of the FIA) and these Championship Regulations. Motorsport UK Championship permit No: CH 2020/ SO20  
Status: Motorsport UK Championship Grade C

### **1.2 Officials**

- 1.2.1 Championship Co-ordinator: Mrs Anne Swift, Chevy Chase, 145B Leeds Road, Selby, North Yorkshire, YO8 4JH. Tel: 01757 702053 Email: annemswift@btinternet.com
- 1.2.2 Eligibility Scrutineer: Mr G J Walton, Wayside Farm, Stanways Lane, Biddulph Moor, Staffordshire Moorlands, ST8 7LD. Tel: 01782 522708
- 1.2.3 Championship Stewards: Jeff Simpson, Sue Skinner, John Warner.

### **1.3 Competitor Eligibility**

- 1.3.1 Entrants must be fully paid up valid membership card holding members of the Ferrari Owners' Club and be in possession of a valid current Motorsport UK Entrant's licence.
- 1.3.2 Drivers and Entrant/Drivers must be fully paid up valid membership card holding members of the Ferrari Owners' Club, be registered for the Championship and be in possession of a valid current Motorsport UK Competition RS Interclub Licence as a minimum. The FOC reserves the right to refuse to issue an invitation and/or accept the registration of any applicant. Motorsport UK Regulation H.30.1.3 applies.
- 1.3.3 All necessary documentation must be presented for checking at all rounds when signing on.

### **1.4 Registration**

- 1.4.1 Following receipt of an invitation from the Ferrari Owners' Club all drivers must register as competitors for the Championship by returning the Driver and Car Registration forms together with the Registration fee to the Championship Co-ordinator prior to the final closing date of the first round to be entered.
- 1.4.2 The Registration fee is £95.00 payable to the Ferrari Owners' Club.
- 1.4.3 Closing date: no later than the closing date for the first event entered.

## 1.5 Championship Rounds

Round	Date	Day	Event	Licence Type	Organiser
1	April 13	Mon	Bouley Bay	RS Interclub	Jersey MC & LCC
2	May 9	Sat	Harewood	RS Interclub	BARC (Yorks)
3	May 10	Sun	Harewood	RS Interclub	BARC (Yorks)
4	May 23	Sat	Prescott	RS Interclub	Bugatti OC
5	June 6	Sat	Shelsley Walsh	RS Interclub	Midland AC
6	June 14	Sun	Gurston Down	RS Interclub	BARC (SW)
7	July 11	Sat	Loton Park	RS Interclub	Hagley & DLCC
8	July 12	Sun	Loton Park	RS Interclub	Hagley & DLCC
9	August 2	Sun	Hethel	RS Interclub	Borough 19
10	August 16	Sun	Curborough	RS Interclub	RSSOC
11	September 5	Sat	Prescott	RS Interclub	Bugatti OC
12	September 20	Sun	Shelsley Walsh	RS Interclub	Midland AC
13	October 11	Sun	Curborough	RS Interclub	Hillclimb & Sprint Ass

## 1.6 Scoring

- 1.6.1 Points system – Results will be compiled following each event, listing the times and positions of Championship contestants relative to one another and exclusive of other competitors' results. Competitors' final Championship points total shall be the aggregate of their best eight event scores.
- 1.6.2 Championship points will be awarded on the basis of the fastest time achieved in the official event runs and will be as follows: First place scores 20 points, Second place scores 17 points, Third place scores 15 points, Fourth place scores 13 points. All subsequent places drop back one point at a time to a minimum score of one point for each starter. These scores will apply regardless of the number of starters. Only Championship registered competitors will count as 'starters' provided they have crossed the start line on the first practice run. Competitors entering Ferraris in two classes at one event will be excluded from place points.
- 1.6.3 Performance Equaliser Percentage (PEP) - To determine placings for competition point scoring a PEP factor (using the F355 series cars as a zero reference) will be applied to competitors' course times where appropriate as indicated in the chart. (For any car not listed an appropriate PEP will be determined by the Technical and Regulatory Committee).
- 1.6.3.1 Champion PEP - The previous year's overall Championship winner will carry a one per cent positive PEP for the 2020 season. This 1% PEP will be carried by the Champion for a period of 5 years.

PERFORMANCE EQUALISER PERCENTAGE (PEP) TABLE		
Section No.	Car type or Modification	PEP Factor
(a)	206/246 V12 pre-1970	Minus 6.5%
(b)	V12 1970-1994	Minus 6.0%
(c)	Boxer 365/512, 308GTB/Si, Mondial 3.0	Minus 5.0%
(d)	308GTB/S and QV, GT4, Mondial 3.2	Minus 4.5%
(e)	328GTB/S, Testarossa, 456GT	Minus 3.0%
(f)	348tb/ts, Mondial 3.4t, 512TR, F512M	Minus 2.0%
(g)	348GTB/S, 550/575M	Minus 1.0%
(h)	348GTC	Minus 0.5%
(i)	F355	Zero
(j)	360 Modena, F40, California	Plus 1.0%
(k)	F50, 599, California T	Plus 2.0%
(l)	F430	Plus 2.5%
(m)	360 Challenge Stradale	Plus 3.5%
(n)	458 Italia, 430 Scuderia	Plus 4.5%
(o)	458 Speciale	Plus 7.0%
(p)	488, F12	Plus 6.0%
(q)	Group Two cars - see special note 3.2.2	Plus 1.5%

1.6.4 Resolving Ties – Where two competitors have identical fastest times, the second fastest run will determine their relevant placing. If the second run is also identical then the fastest practice run will be taken into account. A Championship award tie will be resolved by taking account of a ninth event score. If necessary, a tenth event score will be taken into account.

1.6.5 Championship Points Appeal – Should a competitor disagree with the points awarded and be unable to resolve this to his/her satisfaction in the first instance with the Championship Co-ordinator, he/she may lodge an appeal in accordance with Motorsport UK Judicial proceedings (C.6.5).

## 1.7 Awards

1.7.1 Details – The highest scorer overall will win the Ferrari Owners' Club FRANK BOTT TROPHY. Both Second and Third will win editions of the Essex Challenge Cup (these being perpetual trophies).

1.7.2 Non-perpetual awards may be presented by Pirelli for First, Second and Third placings. Other awards and mementos will be presented at the end of the season.

## **Numbers and Championship Decals**

Competitors must display in unaltered form the Championship competition number door panels, excepting those cars where this is physically impossible, in which case the logo and text must be adjacent to the Competition number on each side of the car. The number plates of the competing car must also carry the series sponsor's decal. All decals must be in place during practice and runs. The use of any decals or advertising material, other than the series sponsors, will not be permitted except in exceptional circumstances in which case this must be applied for in writing to the Championship Co-ordinator. Competition numbers must be removed or completely covered before driving on public roads.

## **2 SPORTING REGULATIONS – JUDICIAL PROCEDURES**

### **2.1 Rounds**

In accordance with Section C (Judicial) of the current Motorsport UK Yearbook.

### **2.2 Championship**

In accordance with Section C (Judicial) of the current Motorsport UK Yearbook.

## **3 TECHNICAL REGULATIONS**

**Introduction:** The following technical regulations are set out in accordance with Motorsport UK requirements. It should be understood that if the following texts do not specify that you can do it, you should work on the principle that you cannot.

### **3.1 Eligible vehicles**

Cars entered must be genuine road cars complying with S.12 of the 2020 Motorsport UK Yearbook and of Ferrari manufacture, excluding cars built specifically for racing by the manufacturer. Pre-1964 road car recreations may be accepted subject to examination by the Eligibility Scrutineer and approval by the T&RC. Cars must be licensed, fully conform to the Road Traffic Act, comply with Motorsport UK regulations at S.10 (public highways) and be driven to the meetings. All Ferrari types F355 and more recent tipos together with tipos F40 and F50 must be absolutely to the manufacturer's original build specification, excepting for seats as in 3.1(g), bodywork as in 3.1(h), interior 3.1(i), exhausts as in 3.1(j) below, and brake pad material.

This means the types listed above are excluded from the alterations allowed below; namely 3.1(a), 3.1(c), 3.1(d), 3.1(e). Ferrari F355 standard magnesium wheels may be replaced but must conform to the original dimensions (diameter, width and offset) or use the original F355 Challenge wheels.

- (a) Engines – to be to manufacturer's original specification. It is accepted that due to normal wear and tear on older cars some engine overhaul may be necessary. Under these circumstances the use of non-standard pistons, re-programmed engine management systems and including machining, lightening, polishing and matching of internal components will carry a 1.5% PEP factor (see 3.2 Special Notes).

- (b) Transmission – No changes to the manufacturer’s original specification are permitted.
- (c) Suspension – no alterations to basic system and pick up points and positions thereof. Changes to damper, spring and roll bar specifications permissible. Camber settings not to exceed minus 2 degrees front and minus 3 degrees rear. The ride height of the car shall be within 3 centimetres of the original manufacturer’s specification, excepting earlier cars where original tyre equipment was 70 profile and above, in which case it is to be within 5 centimetres.
- (d) Brakes – no restrictions. See 3.2 Special Notes below.
- (e) Wheels – no restrictions, excepting rim widths not to exceed 1” beyond the widest rim, front and rear, listed as original equipment or factory option, and up to 1” increase in diameter. 16” diameter wheels are permitted on 246 and 308 tipo cars.
- (f) Tyres – to be manufacturers’ treaded regular road-going production tyres as per Motorsport UK 2020 Yearbook List 1A, except for tipos that were fitted by Ferrari SpA with List 1B tyres as original equipment at time of manufacture. For these tipos tyres of the original make, type and size may be fitted. Tyres may not be changed at a meeting except in instances of damage or deflation. Static tyre warming or application of tyre softening treatments are not permissible.
- (g) Seats – not to be removed, but the front seats may be replaced by ones of competition type of similar dimensions to the original.
- (h) Bodywork – must conform precisely to original appearance, and not have any panels or other items substituted with a non-standard lightweight material excepting those offered by Ferrari SpA as production or retro-fit options. Where the original body panels have been replaced by glass fibre items for cost replacement reasons, providing these match the originals dimensionally and cosmetically competitors may apply to the Championship Organisers for consideration of a waiver.
- (i) Interior – trim may not be removed, excepting floor carpets. Steering wheels may be changed to allow for adjustment to suit the driver.
- (j) Exhaust – must conform to normal public highway requirements in respect of noise level and meet the latest Motorsport UK speed hill climb and venue noise regulations. Cars manufactured with catalytic converters must have them fitted and removal is not permitted.
- (k) Electronic Devices of a kind likely to give an advantage such as launch control and data logging are not permitted unless installed as original equipment. Shift lights however are acceptable.
- (l) Permitted Fuels – Pump Fuel as defined in the Motorsport UK Yearbook “Nomenclature & Definitions, Section B”.
- (m) Chassis – must be of Ferrari origin and bear the Manufacturer’s Chassis Number.

## **3.2 Special Notes**

- 3.2.1 Specially rebuilt or altered engines including reprogramming of engine management systems, together with any chassis changes from the manufacturer's original specification must be declared with full details on the car(s) Registration form.
- 3.2.2 Cars listed in 3.1, Eligible vehicles with manufacturer option chassis upgrade are Group Two. On other cars where any changes have been made to improve performance other than the following they too will be categorised as Group Two:  
Fuel mixture and ignition timing adjustments, electronic ignition, replacing points/circuit breaker systems, uprated standard dampers, uprated road springs, larger diameter anti-roll bars, uprated suspension bushes, camber, caster and ride height adjustments, non-standard brake pad material, brake cooling ducts (providing these meet with the related regulations).
- 3.2.3 Bodywork conforming to original appearance means changes such as specially flared wheel arches are not allowed.
- 3.2.4 Appearance is an important aspect of the Championship and all vehicles must be turned out to a standard that does credit to the marque Ferrari and the FOC. In the event that a vehicle has sustained bodywork damage, this must be properly repaired in a timely fashion prior to taking part in a subsequent competitive meeting.

## **3.3 Safety Requirements**

Car and driver must meet fully the requirements of the Motorsport UK regulations for these disciplines. Your attention is drawn specifically to the Motorsport UK Yearbook General Technical Regulations Section (J) and specific requirements for hillclimbs Section (S), with which the car must comply. All appropriate regulations should be taken into account to ensure the car will satisfactorily pass event scrutineering. (Please note that a full safety harness, whilst not mandatory according to Motorsport UK requirements, is strongly recommended).